



ME27CL5

Meteor 5W E27 Ceramic LED Lamp (Warm White or Daylight)

Product Specifications

Model:	ME27CL5-2.8K/6K
Lamp Holder Type:	E27
LED Power:	5W
LED Chip Set:	American Bridgelux
Input Voltage:	AC 220-240V
Light Colour (Colour Temperature):	Warm White or Daylight
LED Numbers:	5
LED Luminous Efficiency:	110~120LM/LED
LED Initial Flux:	550~600LM
Outer Casing:	Ceramic
Working Life-span Time (hrs):	30000~50000
Gross Weights :	Per Unit: 0.15KG; Per Box(100 Units): 19.30KG
Product Dimensions:	L: 120mm x 50mm
Package Dimensions:	Per Unit: 6.3x6.5x11.5cm; Per Box: 35x35x49cm
Full Replacement Guarantee:	18 Months
Recommended Replacements:	60~80W Incandescent Light Bulb or 15~20W CFL

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED Lamps	ME27CL5-2.8K/6K	Meteor 5W E27 Ceramic LED Lamp (Warm White or Daylight)	R121.00	18 Months
	ME27CL7-2.8K/6K	Meteor 7W E27 Ceramic LED Lamp (Warm White or Daylight)	R156.02	
	ME27CL9-2.8K/6K	Meteor 9W E27 Ceramic LED Lamp (Warm White or Daylight)	R216.51	



ME27CL3

Meteor 3W E27 Ceramic LED Lamp (Warm White or Daylight)

Product Specifications

Model:	ME27CL3-2.8K/6K
Lamp Holder Type:	E27
LED Power:	3W
LED Chip Set:	American Bridgelux
Input Voltage:	AC 220-240V
Light Colour (Colour Temperature):	Warm White (2800K) or Daylight (6000K)
LED Numbers:	3
LED Luminous Efficiency:	120LM/LED
LED Initial Flux:	360LM
Outer Casing:	Ceramic
Working Life-span Time (hrs):	30000-50000
Gross Weights :	Per Unit: 0.05KG; Per Box (100 Units): 8.25KG
Product Dimensions:	L.56mm, Ø27mm
Package Dimensions:	Per Unit: 5.5x5.5x10cm; Per Box: 31x24x52cm
Full Replacement Guarantee:	18 Months
Recommended Replacements:	40-60W Incandescent Light Bulb or 10-15W CFL

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED Lamps	ME27CL3-360-2.8K/6K	Meteor 3W 360deg E27 Ceramic LED Lamp (Warm White or Daylight)	R70.06	18 Months
	ME27CL4-360-2.8K/6K	Meteor 4W 360deg E27 Ceramic LED Lamp (Warm White or Daylight)	R79.60	
	ME27CL5-360-2.8K/6K	Meteor 5W 360deg E27 Ceramic LED Lamp (Warm White or Daylight)	R127.36	



ME14ARC3

Meteor 3W E14 Ceramic LED Lamp (Warm White)

Product Specifications

Model:	ME14ARC3-2.8K
Lamp Holder Type:	E14
LED Power:	3W
LED Chip Set:	American Bridgelux
Input Voltage:	AC 220-240V
Light Colour (Colour Temperature):	Warm White (2800K)
LED Numbers:	3
LED Luminous Efficiency:	120LM/LED
LED Initial Flux:	360LM
Outer Casing:	Ceramic
Working Life-span Time (hrs):	30000-50000
Full Replacement Guarantee:	18 Months

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED Candle Lamps	ME14ARC3-2.8KC/F	Meteor 3W E14 Clear/Frosted Round-Tip LED Candle Lamp (Warm White)	R70.06	12 Months
	ME14AFC3-2.8KC/F	Meteor 3W E14 Clear/Frosted Flame-Tip LED Candle Lamp (Warm White)	R70.06	
	ME14ARC3-2.8KC/FD	Meteor 3W E14 Clear/Frosted Round-Tip LED Candle Lamp (Warm White) [Dimmable]	R92.34	
	MB22/E27ARC3-2.8KC/F	Meteor 3W B22/E27 Clear/Frosted Round-Tip LED Candle Lamp (Warm White)	R73.23	
	MB22/E27ARC3-2.8KC/FD	Meteor 3W B22/E27 Clear/Frosted Round-Tip LED Candle Lamp (Warm White) [Dimmable]	R95.53	
	ME14ARC4-2.8KC/F	Meteor 4W E14 Clear/Frosted Round-Tip LED Candle Lamp (Warm White)	R81.29	
	ME14ARC5-2.8KC/F	Meteor 5.5W E14 Clear/Frosted Round-Tip LED Candle Lamp (Warm White)	R92.34	
	ME14ARC5-2.8KC/FD	Meteor 5.5W E14 Clear/Frosted Round-Tip LED Candle Lamp (Warm White) [Dimmable]	R114.62	
	MB22/E27ARC5-2.8KC/F	Meteor 5.5W B22/E27 Clear/Frosted Round-Tip LED Candle Lamp (Warm White)	R95.53	
	MB22/E27ARC5-2.8KC/FD	Meteor 5.5W B22/E27 Clear/Frosted Round-Tip LED Candle Lamp (Warm White) [Dimmable]	R117.81	

Meteor LED Range Supplied by



PRESTIGE POWER SOLUTIONS (Pty) Ltd

Reg. no. 2013/178732/07

www.prestigepower.co.za

e-mail: sales@prestigepower.co.za



MGU10C3

Meteor 3W GU10 (230V) Ceramic LED Downlight (Warm White or Daylight) [Dimmable]

Product Specifications

Model:	MGU10C3-2.8K/6KD
Lamp Holder Type:	GU10
LED Power:	3W
LED Chip Set:	American Bridgelux
Input Voltage:	AC 220-240V
Light Colour (Colour Temperature):	Warm White (2800K) or Daylight (6000K)
LED Numbers:	3
LED Luminous Efficiency:	120LM/LED
LED Initial Flux:	360LM
Luminous Beam Angle:	45°
Outer Casing:	Ceramic
Working Life-span Time (hrs):	30000-50000
Gross Weights :	Per Unit: 0.10KG; Per Box (100 Units): 10.25KG
Product Dimensions:	L:56mm; W:50mm
Package Dimensions:	Per Unit: 5.4x5.4x5.8cm; Per Box (100 Units): 31x31x31cm
Full Replacement Guarantee:	18 Months
Recommended Replacements:	35W-50W GU10 (230V) Halogen Downlight

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED Downlights	MGU10C4-2.8KD/6KD	Meteor 4W GU10 (230V) Ceramic LED Downlight (Warm White or Daylight) [Dimmable]	R110.17	18 Months
	MGU10C4-RD/GD/BD	Meteor 4W GU10 (230V) Ceramic LED Downlight (Red or Green or Blue) [Dimmable]	R127.36	
	MGU10C6-2.8K/6K	Meteor 6W GU10 (230V) Ceramic LED Downlight (Warm White or Daylight)	R130.55	
	MGU10C6-2.8KD/6KD	Meteor 6W GU10 (230V) Ceramic LED Downlight (Warm White or Daylight) [Dimmable]	R161.75	



MMR16C3-12V

Meteor 3W MR16(12V) Ceramic LED Downlight (Warm White or Daylight)

Product Specifications

Model:	MMR16C3-2.8K/6K
Lamp Holder Type:	GU 5.3
LED Power:	3W
LED Chip Set:	American Bridglux
Input Voltage:	DC 12V
Light Colour (Colour Temperature):	Warm White (2800K) or Daylight (6000K)
LED Numbers:	3
LED Luminous Efficiency:	120LM/LED
LED Initial Flux:	360LM
Luminous Beam Angle:	45°
Outer Casing:	Ceramic
Working Life-span Time (hrs):	30000-50000
Gross Weights :	Per Unit: 0.10KG; Per Box (100 Units): 10.25KG
Product Dimensions:	L:55mm; W:50mm
Package Dimensions:	Per Unit: 5.4x5.4x5.8cm; Per Box: 31x31x31cm
Full Replacement Guarantee:	18 Months
Compatibility:	Wire-wound Transformer or Meteor LED Driver
Recommended Replacements:	50W GU5.3 Halogen Downlight

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED Downlights	MMR16C4-2.8KD/6KD	Meteor 4W MR16 (12V) Ceramic LED Downlight (Warm White or Daylight) [Dimmable]	R101.89	18 Months
	MMR16C6-2.8K/6K	Meteor 6W MR16 (12V) Ceramic LED Downlight (Warm White or Daylight)	R140.10	
	MMR16C6-2.8KD/6KD	Meteor 6W MR16 (12V) Ceramic LED Downlight (Warm White or Daylight) [Dimmable]	R146.47	



MRFCOB8-S-4K

Meteor 8W Silver Round Recessed COB LED Fitting

Product Specifications

Model:	MRFCOB8-S-4K
LED Power:	7W
Total Power:	8W
LED Chip Set:	Japanese Sharp COB
Input Voltage:	AC 100-240V
Light Colour Temperature:	Natural White (4000K~4500K)
LED Luminous Efficiency:	120LM/Watt
LED Initial Flux:	840LM
Colour Rendering Index:	Ra>85
IP Rating:	IP40
Luminous Beam Angle:	15°
Operating Temperature:	-10°C~45°C
Outer Casing:	Aluminium
Working Life-span Time (hrs):	40 000 hours
Adjustable:	Yes
Product Dimensions::	Ø67mm x 40mm (h)
Cut Hole Dimensions	Ø71mm
Full Replacement Guarantee:	2 Years



Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor Recessed COB LED Fittings	MRFCOB8-S-4K	Meteor 8W Silver Round Recessed COB LED Fitting (Natural White)	R229.25	2 Years
	MRFCOB12-S-4K	Meteor 12W Silver Round Recessed COB LED Fitting (Natural White)	R331.14	
	MRFCOB20-S-4K	Meteor 20W Silver Round Recessed COB LED Fitting (Natural White)	R528.55	
	MRFCOB26-S-4K	Meteor 26W Silver Round Recessed COB LED Fitting (Natural White)	R719.60	



MRCF-2.5

Meteor 3W 2.5inches Round Recessed LED Ceiling Fitting
(Warm White or Daylight)

Product Specifications

Model:	MRCF-2.5-2.8K/6K
LED Power:	3W [2.5"]
LED Chip Set:	American Bridgelux
Input Voltage:	AC 85-265V
Light Colour (Colour Temperature):	Warm White (2800K) or Daylight (6000K)
LED Numbers:	3
LED Luminous Efficiency:	120LM/LED
LED Initial Flux:	360LM
Colour Rendering Index:	Ra>85
IP Rating:	IP40
Luminous Beam Angle:	60°
Operating Temperature:	-10°C~45°C
Outer Casing:	Aluminium
Working Life-span Time (hrs):	50 000
Cut Hole Dimensions:	70mm
Product Dimensions:	100mm
Full Replacement Guarantee:	2 Years

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor Recessed LED Fittings	MRCF-2.5-2.8K/6K	Meteor 3W 2.5inches Round Recessed LED Fitting (Warm White or Daylight)	R133.74	2 Years
	MRCF-3-2.8K/6K	Meteor 5W 3inches Round Recessed LED Fitting (Warm White or Daylight)	R184.68	
	MRCF-3.5-2.8K/6K	Meteor 7W 3.5inches Round Recessed LED Fitting (Warm White or Daylight)	R229.25	
	MRCF-4-2.8K/6K	Meteor 9W 4inches Round Recessed LED Fitting (Warm White or Daylight)	R286.57	
	MRCF-6-2.8K/6K	Meteor 15W 6inches Round Recessed LED Fitting (Warm White or Daylight)	R541.29	
	MRCF-8-2.8K/6K	Meteor 21W 8inches Round Recessed LED Fitting (Warm White or Daylight)	R700.48	




MRCF30R-6K

Meteor 30W Rectangular Recessed LED Ceiling Fitting

Product Specifications

Model:	MRCF30R-6K
LED Power:	30W
LED Chip Set:	American Bridgelux
Input Voltage:	AC 85-265V
Light Colour (Colour Temperature):	Daylight (6000K)
LED Numbers:	3 x 10W
LED Luminous Efficiency:	110-120LM/LED
LED Initial Flux:	3300-3600LM
Colour Rendering Index:	Ra>80
IP Rating:	IP40
Luminous Beam Angle:	60°
Operating Temperature:	-10°C~45°C
Outer Casing:	Aluminium
Working Life-span Time (hrs):	50 000
Product Dimensions:	235(L) x 147(W) x 85(H) mm
Full Replacement Guarantee	2 Years



Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor Recessed LED Fittings	MRCF30R-6K	Meteor 30W Rectangular Recessed LED Fitting (Daylight)	R1 050.73	2 Years
	MRCF40R-6K	Meteor 40W Rectangular Recessed LED Fitting (Daylight)	R1 209.93	



MT8-2FT

Meteor 9W 0.6m Frosted T8 LED Tubes (Daylight)

Product Specifications

Model:	MT8-2FT-6KF
LED Power:	9W
LED Chip Set:	SMD3014
Input Voltage:	AC 85-265V
Light Colour (Colour Temperature):	Daylight (6000K)
LED Numbers:	90
LED Luminous Efficiency:	12LM/LED
LED Initial Flux:	1080LM
Colour Rendering Index:	Ra>80
Protection Level:	IP50
Operating Temperature:	-10~45°C
Outer Casing:	PC + Aluminium
Cover:	Frosted
Working Life-span Time (hrs):	50 000
Gross Weights :	Per Unit: 0.30KG; Per Box (25 Units): 8.75KG
Product Dimensions:	L: 58.9cm; Φ: 26mm
Package Dimensions:	Per Unit: L: 0.69m; Φ: 40mm; Per Box: 22x21x70cm
Full Replacement Guarantee:	3 Years
Recommended Replacements:	18W T8 Fluorescent Tubes

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor T8 LED Tubes	MT8-2FT-4K/6KF	Meteor 9W 0.6m Frosted T8 LED Tube (Natural White or Daylight)	R197.42	3 Years
	MT8-3FT-6KF	Meteor 14W 0.9m Frosted T8 LED Tube (Daylight)	R292.93	
	MT8-4FT-4K/6KC/F	Meteor 18W 1.2m Clear/Frosted T8 LED Tube (Natural White or Daylight)	R318.40	
	MT8-5FT-4K/6KC/F	Meteor 22W 1.5m Clear/Frosted T8 LED Tube (Natural White or Daylight)	R382.08	
Meteor T8 LED Fittings	MT8F-2FT-6KF	Meteor 9W 0.6m Frosted T8 LED Fitting (Daylight)	R232.44	3 Years
	MT8F-3FT-6KF	Meteor 14W 0.9m Frosted T8 LED Fitting (Daylight)	R343.87	
	MT8F-4FT-6KF	Meteor 18W 1.2m Frosted T8 LED Fitting (Daylight)	R382.08	
	MT8F-5FT-6KF	Meteor 22W 1.5m Frosted T8 LED Fitting (Daylight)	R458.50	



Model:	MP6060
LED Power:	38W
Input Voltage:	AC 85-285V
LED Chip Set:	SMD3014
Light Colour:	Bright White (6000~6500K)
LED Numbers:	360
LED Luminous Efficiency:	105LM/W
LED Initial Flux:	3990LM
Colour Rendering Index:	Ra>80
Power Factor:	>0.93
Operating Temperature:	-10°C~45°C
Outer Casing:	Aluminium
Working Life-span:	50,000 Hours
Product Dimensions:	600mm*600mm
Full Replacement Guarantee:	3 Years



Model:	MP60120
LED Power:	60W
Input Voltage:	AC 85-285V
LED Chip Set:	SMD3014
Light Colour:	Bright White (6000~6500K)
LED Numbers:	600
LED Luminous Efficiency:	110LM/W
LED Initial Flux:	6600LM
Colour Rendering Index:	Ra>80
Power Factor:	>0.93
Operating Temperature:	-10°C~45°C
Outer Casing:	Aluminium
Working Life-span:	50,000 Hours
Product Dimensions:	600mm*1200mm
Full Replacement Guarantee:	3 Years



Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED Panel Lights	MP3030-6K	Meteor 12W 300x300mm LED Panel Light (Daylight)	R585.86	2 Years
	MP3060-6K	Meteor 20W 300x600mm LED Panel Light (Daylight)	R1 050.73	
	MP30120-6K	Meteor 40W 300x1200mm LED Panel Light (Daylight)	R1 592.01	
	MP6060-6K	Meteor 36W 600x600mm LED Panel Light (Daylight)	R1 464.65	
	MP60120-6K	Meteor 60W 600x1200mm LED Panel Light (Daylight)	R2 833.78	



MFL10-230V

Meteor 10W LED Floodlight (Warm White or Daylight)

Product Specifications

Model:	MFL10-2.8K/6K
LED Power:	10W
Input Voltage:	220-240V
Light Colour (Colour Temperature):	Warm White (2800K) or Daylight (6000K)
LED Numbers:	9
LED Luminous Efficiency:	100LM/LED
LED Initial Flux:	900LM
Colour Rendering Index:	Ra>80
Luminous Beam Angle:	120°
Protection Level:	IP65
Operating Humidity:	10%~90%
Operating Temperature:	-35°C~50°C
Outer Casing:	Die-Cast Aluminium
Glass Cover:	Tempered Glass
Working Life-span Time (hrs):	35000~45000
Gross Weights :	Per Unit: 0.6KG; Per Box (30 Units): 15.10KG
Product Dimensions:	11.2x8.5x8cm
Package Dimensions:	Per Unit: 11.3x8.7x8.5cm; Per Box: 47x26x30cm
Full Replacement Guarantee:	18 Months
Recommended Replacements:	150W Halogen Floodlight



Category:	Model No.:	Item Description:	Unit Price	Full Replacement Guarantee
Meteor 230V LED Floodlights	MFL10-2.8K/6K	Meteor 10W LED Floodlight (Warm White or Daylight)	R213.33	18 Months
	MFL20-2.8K/6K	Meteor 20W LED Floodlight (Warm White or Daylight)	R445.76	
	MFL30-2.8K/6K	Meteor 30W LED Floodlight (Warm White or Daylight)	R624.07	
	MFL50-2.8K/6K	Meteor 50W LED Floodlight (Warm White or Daylight)	R923.37	
	MFL80-6K	Meteor 80W LED Floodlight (Daylight)	R1 974.09	
	MFL100-6K	Meteor 100W LED Floodlight (Daylight)	R2 674.58	2 Years
	MFL140-6K	Meteor 140W LED Floodlight (Daylight)	R4 584.99	
	MFL200-6K	Meteor 200W LED Floodlight (Daylight)	R5 603.88	
	MFL300-6K	Meteor 300W LED Floodlight (Daylight)	R8 787.90	
	MFL400-6K	Meteor 400W LED Floodlight (Daylight)	R11 016.71	
Meteor 12V & 24V LED Floodlights	MFL10-12V-2.8K/6K	Meteor 10W 12V & 24V LED Floodlight (Warm White or Daylight)	R267.46	18 Months
	MFL20-12V-6K	Meteor 20W 12V & 24V LED Floodlight (Daylight)	R509.44	
	MFL30-12V-6K	Meteor 30W 12V & 24V LED Floodlight (Daylight)	R713.22	
	MFL50-12V-6K	Meteor 50W 12V & 24V LED Floodlight (Daylight)	R1 158.98	

Category:	Model No.:	Item Description:	Unit Price	Full Replacement Guarantee
Meteor 230V PIR Sensor LED Floodlights	MPFL10-6K	Meteor 10W PIR Sensor LED Floodlight (Daylight)	R445.76	18 Months
	MPFL20-6K	Meteor 20W PIR Sensor LED Floodlight (Daylight)	R636.80	
	MPFL30-6K	Meteor 30W PIR Sensor LED Floodlight (Daylight)	R878.79	
	MPFL50-6K	Meteor 50W PIR Sensor LED Floodlight (Daylight)	R1 241.77	
Meteor 230V Marine LED Floodlights	MMFL10-2.8K/6K	Meteor 10W Marine LED Floodlight (Warm White or Daylight)	R540.96	18 Months
	MMFL20-2.8K/6K	Meteor 20W Marine LED Floodlight (Warm White or Daylight)	R854.49	
	MMFL30-2.8K/6K	Meteor 30W Marine LED Floodlight (Warm White or Daylight)	R1 111.68	
	MMFL50-2.8K/6K	Meteor 50W Marine LED Floodlight (Warm White or Daylight)	R1 461.01	
	MMFL80-6K	Meteor 80W Marine LED Floodlight (Daylight)	R2 666.78	
Meteor 12V Marine LED Floodlights	MMFL10-12V-2.8K/6K	Meteor 10W 12V Marine LED Floodlight (Warm White or Daylight)	R553.70	18 Months
	MMFL20-12V-6K	Meteor 20W 12V Marine LED Floodlight (Daylight)	R911.80	
	MMFL30-12V-6K	Meteor 30W 12V Marine LED Floodlight (Daylight)	R1 169.00	
	MMFL50-12V-6K	Meteor 50W 12V Marine LED Floodlight (Daylight)	R1 632.95	



Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED Rope Lights	MRL5050-60-2.8K/6K/B	Meteor SMD5050 60LED/m Waterproof [IP65] 230V [i.e.: NO LED driver is required.] LED Rope Light (Warm White or Daylight or Blue) [Per Meter]	R82.79	1 Year [Based on 7 hours per day]
	MRLPS	Meteor LED Rope Light Power Supply Set	R19.11	
	MRLMC	Meteor LED Rope Light Plastic Mounting Clip	R0.89	
	MRLHC	Meteor LED Rope Light Horizontal (180deg) Connector	R6.37	

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor G4 LED Starlights	MG4SPICA1-2.8K/4K	Meteor 1W G4 SPICA LED Starlight (Warm White or Natural White) [Compatible with both Magnetic & Electronic Transformers]	R80.06	2 Years

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor AR111 LED Lamps	MAR111L15-4KD	Meteor 15W GU53 AR111 LED Lamp (Natural White) [Dimmable]	R394.82	18 Months

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor PAR LED Lamps	MPAR30L6-2.8K/6K	Meteor 6W E27 PAR30 LED Lamp (Warm White or Daylight)	R229.25	18 Months
	MPAR38L12-2.8K/6K	Meteor 12W E27 PAR38 LED Lamp (Warm White or Daylight)	R433.03	

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED High Bays (Mean Well)	MHBM100-60d-6K	Meteor 100W 60deg LED High Bay (Daylight) [Mean Well Series]	R5 431.94	3 Years
	MHBM150-60d-6K	Meteor 150W 60deg LED High Bay (Daylight) [Mean Well Series]	R5 667.56	
	MHBM180-60d-6K	Meteor 180W 60deg LED High Bay (Daylight) [Mean Well Series]	R6 781.97	

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED High Bays (Standard)	MHBS100-60d-6K	Meteor 100W 60deg LED High Bay (Daylight) [Standard Series]	R3 247.70	2 Years
	MHBS150-60d-6K	Meteor 150W 60deg LED High Bay (Daylight) [Standard Series]	R4 075.55	
	MHBS180-60d-6K	Meteor 180W 60deg LED High Bay (Daylight) [Standard Series]	R4 935.24	



PRESTIGE POWER SOLUTIONS (Pty) Ltd

Reg. no. 2013/178732/07

www.prestigepower.co.za

e-mail: sales@prestigepower.co.za

Category:	Model No.:	Item Description:	Qty Price (Excl. VAT)	Full Replacement Guarantee
Meteor LED Track Lights & Spot Lights	MTL30-B-2.8K/4K	Meteor 30W Black 2-Wired LED Track Light (Warm White or Natural White)	R974.32	2 Years
	M2WTB-0.5M	Meteor 0.5m Black 2-Wired Track	R95.53	
	M2WTB-1M	Meteor 1m Black 2-Wired Track	R127.36	
	M2WTB-2M	Meteor 2m Black 2-Wired Track	R229.25	
	MSL30-B-4K	Meteor 30W Black Surface-Mounted LED Spot Light (Natural White)	R1 006.15	